

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:

Riaziat et al.

Serial No.: Not Yet Assigned

Filed: August 27, 2001

For: APPARATUS AND SYSTEM FOR  
POSITIONING A PATIENT

Group Art Unit: 3736

Examiner: Unknown

PRELIMINARY AMENDMENT

BOX PATENT APPLICATION  
Assistant Commissioner for Patents  
Washington, D.C. 20231

Sir:

Please enter the following amendments prior to substantive examination of the application.

IN THE TITLE

Please replace the Title located at page 1, lines 2-3 with the following:

APPARATUS AND SYSTEM FOR POSITIONING A PATIENT.

IN THE CLAIMS

Please cancel claims 1-27 and 36-37 without prejudice to pursue in a later application.

CERTIFICATE OF MAILING  
(37 C.F.R. §1.10)

I hereby certify that this paper (along with any referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as 'Express Mail Post Office To Addressee' in an envelope addressed to the Commissioner for Patents, Washington, D.C. 20231.

EL846342581US  
Express Mail Label No.

August 27, 2001  
Date of Deposit

Cindy McMorow

Name of Person Mailing Paper

*Cindy McMorow*  
Signature of Person Mailing Paper

Please amend claims 33-34 and add new claims 38-49 as follows:

33. (Amended) A system for identifying a position of a patient comprising:
- one or more optical imaging apparatus;
  - a marker block having a surface;
  - two or more reflective elements located on said surface, said two or more reflective elements having known relative positioning among each other; and
  - said marker block positioned such that at least two of said two or more reflective elements are viewable by said one or more optical imaging apparatus.

34. (Amended) The system of claim 33 in which said two or more reflective elements are retro-reflective elements.

New Claims:

38. (New) The system of claim 33 in which absolute coordinate of said one or more optical imaging apparatus is known.

39. (New) The system of claim 33 in which viewing orientation of said one or more optical imaging apparatus is known.

40. (New) The system of claim 33 in which relative absolute coordinate of said one or more optical imaging apparatus is known.
41. (New) The system of claim 33 in which said one or more optical imaging apparatus comprises CCD cameras.
42. (New) The system of claim 33 further comprising a computing device to receive output information from said one or more optical imaging apparatus, the computing device having a processor configured to determine the position and orientation of said marker block.
43. (New) The system of claim 33 further comprising a video display device to display a video image of said patient.
44. (New) The system of claim 43 in which said video image comprises real-time images of said marker block.
45. (New) The system of claim 43 in which said video image comprises real-time images of said patient.
46. (New) The system of claim 33 further comprising a video display device to display a video image of said patient.

47. (New) The retro-reflective marker of claim 28 in which said flat surface forms a mounting area.
48. (New) The marker block of claim 30 that is formed of styrofoam.
49. (New) The marker block of claim 30 comprising a shape to fit a fixture that attaches to a patient body.


REMARKS

The present application is a divisional of Appl. No. 09/178,385 (U.S. Pat. 6,279,579). The presently pending claims correspond to the claims identified as Group II in the Office Action of April 25, 2000 for the prior application.

Respectfully submitted,  
LYON & LYON LLP

Dated: \_\_\_\_\_

8-27-07

  
\_\_\_\_\_  
Peter C. Mei  
Reg. No. 39,768

633 W. Fifth Street, Suite 4700  
Los Angeles, California 90071-2066  
Tel: (408) 993-1555  
Fax: (408) 287-2664

Marked Up Version

33. A system for identifying a position of a ~~detecting a marker block in a patient treatment~~  
~~system comprising:~~

one or morean optical imaging apparatus;

a marker block having a surface;

two ~~one~~ or more reflective elements located on said surface, said two or more reflective  
elements having known relative positioning among each other; and

said marker block positioned such that ~~to reflect light from~~ at least two of said ~~two~~ ~~one~~ or  
more reflective elements are viewable by ~~to~~ said one or more optical imaging apparatus.

34. The system of claim 33 in which said two or more reflective elements are retro-reflective  
elements.

0940679-082701

J1002 U.S. PTO  
09/940679  
08/27/01




Fig. 1




Figure 2








Fig. 3e

09040679.032704

400




Fig. 4

0940679382701




Figure 5




Fig. 6a




Fig. 6b




Fig. 7a




Fig. 7b




Fig. 8




Fig. 9




Fig. 10